

09/708,809

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	524	<del>remind\$3 same (date-cast\$3)</del> <del>same record\$3 and (email\$3 mail)</del> <del>request\$3</del>	US-PGPUB; USPAT	OR	OFF	2006/02/03 10:14
L2	40	1 and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/02/03 10:10
L3	25	<del>remind\$3 same (date-cast\$3)</del> <del>same record\$3 and (email\$3 mail)</del> <del>and "725"/\$.ccls.</del>	US-PGPUB; USPAT	OR	OFF	2006/02/03 11:23
L4	15	725/39-54.ccls. and ("demand-cast" (demand near3 cast\$3) "narrow-cast" (narrow near3 cast\$3))	US-PGPUB; USPAT	OR	OFF	2006/02/03 11:27
L5	30	(epg (program near3 guide) ipg) and ("demand-cast" (demand near3 cast\$3) "narrow-cast" (narrow near3 cast\$3) "point-cast" (point near3 cast\$3)) and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/02/03 11:28
L6	19	(epg (program near3 guide) ipg) with page\$1 and ("demand-cast" (demand near3 cast\$3) "narrow-cast" (narrow near3 cast\$3) "point-cast" (point near3 cast\$3))	US-PGPUB; USPAT	OR	OFF	2006/02/03 11:33
L7	11	6 and (@ad<="20001108" @rlad<="20001108")	US-PGPUB; USPAT	OR	OFF	2006/02/03 11:34
L8	295	(epg (program near3 guide) ipg) with page\$1 and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/02/03 11:33
L9	353	(epg (program near3 guide) ipg) near10 page\$1 and ( demand\$3 request\$3 "demand-cast" (demand near3 cast\$3) "narrow-cast" (narrow near3 cast\$3) "point-cast" (point near3 cast\$3)) same (viewer\$1 subscriber\$1 terminal\$1 user\$1)	US-PGPUB; USPAT	OR	OFF	2006/02/03 16:23
L10	193	9 and (@ad<="20001108" @rlad<="20001108")	US-PGPUB; USPAT	OR	OFF	2006/02/03 11:39
L11	138	10 and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/02/03 11:34
L12	110	11 not gordon.inv.	US-PGPUB; USPAT	OR	OFF	2006/02/03 11:34

L13	71	(epg (program near3 guide) ipg) near10 page\$1 same ( demand\$3 request\$3 "demand-cast" (demand near3 cast\$3) "narrow-cast" (narrow near3 cast\$3) "point-cast" (point near3 cast\$3)) same (viewer\$1 subscriber\$1 terminal\$1 user\$1)	US-PGPUB; USPAT	OR	OFF	2006/02/03 11:39
L14	32	13 and (@ad<="20001108" @rlad<="20001108")	US-PGPUB; USPAT	OR	OFF	2006/02/03 14:52
L15	0	("2004/0196906").URPN.	USPAT	OR	OFF	2006/02/03 11:41
L16	0	("2006/0015906").URPN.	USPAT	OR	OFF	2006/02/03 11:53
L17	1	"5844620".pn.	USPAT	OR	OFF	2006/02/03 14:52
L18	71	725/54.ccls.	USPAT	OR	OFF	2006/02/03 14:52
L19	69	18 and (@ad<="20001108" @rlad<="20001108")	USPAT	OR	OFF	2006/02/03 14:59
L20	25	19 and ((status message) same (terminal receiver subscriber viewer user))	USPAT	OR	OFF	2006/02/03 14:57
L21	1373	((status message) same (terminal receiver subscriber viewer user) same (acknowledg\$5 reception receiv\$3)) and "725"/\$.ccls.	USPAT	OR	OFF	2006/02/03 14:59
L22	185	((status message) same (terminal receiver subscriber viewer user) same (acknowledg\$5 reception receiv\$3)) and "725"/39-55.ccls.	USPAT	OR	OFF	2006/02/03 14:59
L23	496	((status message) same (terminal receiver subscriber viewer user) same (acknowledg\$5 reception receiv\$3)) and "725"/39-55.ccls.	US-PGPUB; USPAT	OR	OFF	2006/02/03 15:00
L24	173	23 and (@ad<="20001108" @rlad<="20001108")	USPAT	OR	OFF	2006/02/03 15:00
L25	271	(status message) with (acknowledg\$5 reception receiv\$3) with (terminal receiver subscriber viewer user) and "725"/39-55.ccls.	US-PGPUB; USPAT	OR	OFF	2006/02/03 15:03
L26	168	25 and (@ad<="20001108" @rlad<="20001108")	US-PGPUB; USPAT	OR	OFF	2006/02/03 15:03
L27	27	(status message) with (acknowledg\$5 reception receiv\$3) with (terminal receiver subscriber viewer user) with (server manger headend provider) and "725"/39-55.ccls.	US-PGPUB; USPAT	OR	OFF	2006/02/03 15:03

L28	29	(status message) with (acknowledg\$5 reception receiv\$3) with (terminal stb (set near3 top) receiver subscriber viewer user) with (server manger headend provider) and "725"/39-55.ccls.	US-PGPUB; USPAT	OR	OFF	2006/02/03 15:06
L29	9	28 and (@ad<="20001108" @rlad<="20001108")	US-PGPUB; USPAT	OR	OFF	2006/02/03 15:06
L30	263	(status message) with (acknowledg\$5 reception receiv\$3) with (terminal stb (set near3 top) receiver subscriber viewer user) with (server manger headend provider) and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/02/03 15:07
L31	119	30 and (@ad<="20001108" @rlad<="20001108")	US-PGPUB; USPAT	OR	OFF	2006/02/03 15:08
L32	59	(status message) with (acknowledg\$5 reception receiv\$3) with (terminal stb (set near3 top) receiver subscriber viewer user) with (server manger headend provider) and "725"/\$.ccls. and (((program schedul\$3) near3 guide) epg ipg)	US-PGPUB; USPAT	OR	OFF	2006/02/03 15:13
L33	522644	"59" and (@ad<="20001108" @rlad<="20001108")	US-PGPUB; USPAT	OR	OFF	2006/02/03 15:08
L34	18	32 and (@ad<="20001108" @rlad<="20001108")	US-PGPUB; USPAT	OR	OFF	2006/02/03 15:42
L35	199	((acknowledg\$5 report\$3 message upstream) with (acknowledg\$5 status reception receiv\$3)) same (terminal stb (set near3 top) receiver subscriber viewer user) same (server manger headend provider) and "725"/\$.ccls. and (((program schedul\$3) near3 guide) epg ipg)	US-PGPUB; USPAT	OR	OFF	2006/02/03 16:22
L36	82	35 and (@ad<="20001108" @rlad<="20001108")	US-PGPUB; USPAT	OR	OFF	2006/02/03 16:22
L37	0	("2005/0240961").URPN.	USPAT	OR	OFF	2006/02/03 15:48
L38	247	((acknowledg\$5 report\$3 message upstream) with (acknowledg\$5 status reception receiv\$3)) and "725"/\$.ccls. and (((program schedul\$3) near3 guide) epg ipg)	USPAT	OR	OFF	2006/02/03 16:22
L39	234	38 and (@ad<="20001108" @rlad<="20001108")	USPAT	OR	OFF	2006/02/03 16:22
L40	132	39 and 725/37-55.ccls.	USPAT	OR	OFF	2006/02/03 16:23

L41	119	40 and ( demand\$3 request\$3 "demand-cast" (demand near3 cast\$3) "narrow-cast" (narrow near3 cast\$3) "point-cast" (point near3 cast\$3))	USPAT	OR	OFF	2006/02/03 16:24
L42	0	("6904610").URPN.	USPAT	OR	OFF	2006/02/03 16:25
L43	0	("6308327").URPN.	USPAT	OR	OFF	2006/02/03 16:37